

## Missouri Department of Natural Resources

# **Total Maximum Daily Load Information Sheet**

### **Fellows Lake**

#### Waterbody Segments at a Glance:

County: Greene
Nearby Cities: Springfield
Area of impairment: 820 lake acres

**Pollutant:** Algae

**Source:** Agricultural and Urban

Nonpoint Source

Propose to change pollutant from algae to nutrients on the 2002 303(d) list

The department is requesting that this lake be removed from the 303(d) list



TMDL Priority Ranking: Medium

#### Description of the Problem Beneficial uses of Fellows Lake

- Livestock and Wildlife Watering
- Protection of Warm Water Aquatic Life and Human Health associated with Fish Consumption
- Whole Body Contact Recreation (Swimming)
- Boating and Canoeing
- Drinking Water Supply

#### Use that is impaired on the 1998 303(d) list

• Drinking Water Supply

#### Standards that apply

- The impairment of these two lakes is based on exceedence of the general criteria contained in Missouri's Water Quality Standards, 10 CSR 20-7.031(3)(A) and (C). Here it states:
  - Waters shall be free from substances in sufficient amounts to cause the formation of putrescent, unsightly or harmful bottom deposits or prevent full maintenance of beneficial uses.
  - Waters shall be free from substances in sufficient amounts to cause unsightly color or turbidity, offensive odor or prevent full maintenance of beneficial uses.


This lake serves as a drinking water supply for the city of Springfield along with McDaniel Lake, Stockton Lake, the James River and Fulbright Spring. In the past two decades, there have been complaints about the drinking water having taste and odor problems. These taste and odor problems

often occur at the same time that specific types of blue-green algae, also known as cyanobacteria, reach peak levels in the reservoirs. Increased production of cyanobacteria is related primarily to phosphorus (P) and nitrogen (N) in the water, abundant sunlight and warm water temperatures.

The TMDL for McDaniel Lake dealing with this problem was written in the fall of 2003. Fellows Lake is part of the McDaniel Lake watershed, hence some of the measures being taken in the watershed to improve McDaniel Lake would also benefit Fellows Lake. Since there has only been one taste and odor event in Fellows Lake and there is no additional data saying that it is impaired for nutrients, the department believes that a TMDL is not required for this lake. For this reason, the department is requesting that EPA remove this waterbody from the 303(d) list for nutrients.

A location map of Fellows and McDaniel lakes may be found below, followed by a table summarizing data from Fellows Lake and graphs showing the relationship between phosphorus and chlorophyll-a in the lake.

#### Fellows and McDaniel Lakes in Greene County, north of Springfield, Missouri



Nutrients, Chlorophyll-a, and Secchi Depth in Fellows Lake, 1989-2000


|                  | Average | Maximum | Minimum | Standard  |
|------------------|---------|---------|---------|-----------|
|                  |         |         |         | Deviation |
| Total Nitrogen   | 0.374   | 0.85    | 0.23    | 0.101     |
| (mg/l)           |         |         |         |           |
| Total            | 0.017   | 0.049   | 0       | 0.006     |
| Phosphorus       |         |         |         |           |
| (mg/l)           |         |         |         |           |
| Chlorophyll-a    | 5.44    | 16      | 1       | 3.18      |
| (μg/l)           |         |         |         |           |
| Secchi depth (m) | 2.91    | 7.1     | 1.3     | 0.896     |

Sources: Springfield City Utilities and University of Missouri, Columbia

Secchi depth measures the clarity of a lake. The higher the number (of meters), the deeper one can see down into the lake. Increased suspended algae cloud the water (and make it green), thus decreasing Secchi depth.


Chlorophyll-a is found in all algae (gives them color) and is used to determine the amount of suspended algae in a waterbody. In general, algae (and thus chlorophyll-a) increase as the concentration of phosphorus increases.

Graph of surface Chlorophyll-a concentrations vs. total phosphorus concentrations in Fellows Lake, 1989-1999



Source: University of Missouri, Columbia

# Graph of subsurface Chlorophyll-a concentrations vs. total phosphorus concentrations in Fellows Lake, 1989-2000



Source: University of Missouri, Columbia

#### For more information call or write:

Missouri Department of Natural Resources Water Pollution Control Program P.O. Box 176, Jefferson City, MO 65102-0176 1-800-361-4827 or (573) 751-1300 office (573) 526-5797 fax

Program Home Page: www.dnr.state.mo.us/wpscd/wpcp/index.html